artisan exterior

CRAZY PAVING
Product Specification Sheet



CRAZY PAVING

Irregular, organic and striking are terms that come to mind when we think about Crazy Paving. This paving format comprises one or multiple types of stone cut in a non-uniform manner and laid in a random, "crazy", fashion.

Crazy Paving is now one of the most sought after paving styles for its uniqueness and ability to be customised.

The individual pieces are thick and dense enough to carry heavy loads without cracking, making them ideal for driveways and any heavy traffic areas. Crazy Paving also offers designers ample flexibility with its irregularly shaped pieces, perfect for narrow spaces, curves or circular designs.


Our range spans in colours, from white to purple and dark grey, and textures to suit diverse styles as well as environments.

In its simplicity, our Crazy Paving range can also easily offset any architectural or design element in its surroundings, being timber, concrete or greenery.

Delivering a fluid and dynamic overall look and feel, this paving choice can be utilised in a variety of projects, from private residential to commercial or public areas.



Calor Crazy Paving



Kahvi Crazy Crazy Paving



Product Range



ARKKIA Crazy Paving



BLUESTONE Crazy Paving



CALOR Crazy Paving



KAHVI Crazy Paving



KALDUR Crazy Paving



KURO Crazy Paving

Product Range



NEVOA Crazy Paving



OLIVE Crazy Paving



PANTERA Crazy Paving



PORPHYRY Crazy Paving



RANTA Crazy Paving



SOKERIA Crazy Paving

Product Range




VALAS Crazy Paving

artisanexterior.com.au

Formats

IRREGULAR



Crazy Paving

Tech Details

Split Crazy Paving

ARKKIA

Size	11014		Slip	Surface and
mm			Rating	Edge Finish
Crazy Paving 20-40mm	60kg/m²	20m²	P5	Split All Sides

CALOR

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Surface and Edge Finish
Crazy Paving 25-40mm Standard Format	72kg/m²	llm²	P5	Split All Sides
Crazy Paving 25-40mm Large Format 95kg/m²		llm²	P5	Split All Sides

KALDUR

Size	Weight	Pack Volumes per crate	Slip	Surface and
mm	UOM		Rating	Edge Finish
Crazy Paving 20-30mm	65kg/m²	23m²	P5	Split All Sides

KURO

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Surface and Edge Finish	
Crazy Paving 20-30mm	52kg/m²	25m²	P5	Split All Sides	

PORPHYRY

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Surface and Edge Finish	
Crazy Paving 20-50mm	90kg/m²	17.64m²	P5	Split All Sides	

3 artisanexterior.com.au

20mm Crazy Paving

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance
Crazy Paving 20mm	60kg/m²	20m²	P5	Antique	+/- 2mm

KAHVI

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance
Crazy Paving 20mm	56kg/m²	27.5m²	P4	Antique	+/- 2mm

NEVOA

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance
Crazy Paving 20mm	52kg/m²	20m²	P5	Antique	+/- 2mm

OLIVE

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance
Crazy Paving 20mm	56kg/m²	18m²	P5	Antique	+/- 2mm

PANTERA

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance
Crazy Paving 20mm	58kg/m²	20m²	P4	Antique	+/- 2mm

artisanexterior.com.au 9

* Please enquire with us to confirm stock availability.

Custom sizes are available by order. Weights are
indicative only and exclude packaging *

20mm Crazy Paving

RANTA

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance
Crazy Paving 20mm	90kg/m²	17.64m²	P5	Split All Sides	+/- 2mm

SOKERIA

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance
Crazy Paving 20mm	56kg/m²	27.5m²	P4	Antique	+/- 2mm

