

artisan EXTERIOR

POOL

ALL FORMATS

Technical Specification Guide



Table of Contents

Introduction	3-4
Product Reference Images	5-15
Hisbalit Mosaico Series	5-11
Australian Collection	5-6
Coast Collection	7-8
Concept & Luxe	8
Niebla Collection	8-11
Unicolour Collection	11
One Series	12-15
From the Earth	12-13
From the Sea	14-15
Key Considerations	16
Technical Details	17-20
Hisbalit Mosaico Series	17-19
Australian Collection	17
Coast Collection	17
Concept & Luxe	18
Niebla Collection	18
Unicolour Collection	19
One Series	20
From the Earth	20
From the Sea	20

Crafted in Spain, designed for Australia


Artisan Exterior's glass mosaic and porcelain pool tile collections are designed in collaboration with Spain's leading manufacturers, using up to 100% recycled glass and glazed porcelain. Produced with leading print technology and crafted to withstand Australian conditions, each surface combines durability with refined detail. The collections offer versatility across pools, water features, outdoor showers, and splashbacks, while uniting European artistry with the practical needs of Australian outdoor living. Every surface is created with both sustainability and craftsmanship in mind, delivering long-term performance, striking design, and the flexibility to complement a wide range of architectural styles. All Artisan Exterior pool tiles are also supported by a 5-year residential manufacturer's warranty, ensuring peace of mind alongside design freedom.

The range includes Hisbalit Mosaico Series, exclusive to Artisan Exterior, with over 50 years of expertise in crafting mosaics. Backed by an internationally patented Thermo-Polymer Backing System, Hisbalit collections span Australian, Coast, Unicolour, Niebla, and Concept & Luxe, with options in pearlescent, gchrome, iridescent, gloss and matte opaque finishes and blends. Formats are available in 23mm and 40mm across a broad colour palette.

The Series now moves into large format with Solstice, a glazed porcelain collection on the same thermo polymer technology, in 100 x 100mm tile format.

The One Series complements this with collections inspired by nature. From the Earth and From the Sea feature organic prints in gloss and matte finishes, offered in 25mm and 50mm formats. Designed to capture subtle variations in colour and texture, these mosaics bring a natural aesthetic with select designs available exclusively through Artisan Exterior.

This document provides the technical specifications to guide your choice. For further details, our team is ready to support your projects with samples and in-studio expertise across ACT, NSW, and QLD.




Devonport 23x23mm
Hisbalit Mosaico Series - Australian Collection



Shell 40x40mm
Hisbalit Mosaico Series - Coast Collection



Trace 50x50mm
One Series - From the Earth




Drift 25x25mm
One Series - From the Sea

Hisbalit Mosaico Series

AUSTRALIAN COLLECTION



DEVONPORT
23x23mm



DEVONPORT
40x40mm



HAYMAN



LAGOON



LIZARD
23x23mm



LIZARD
40x40mm

Hisbalit Mosaico Series


AUSTRALIAN COLLECTION (continued)



NAROOMA
23x23mm



ORPHEUS
23x23mm



OPRPHEUS
40x40mm



WHITEHAVEN SAND
23x23mm




WHITEHAVEN SAND
40x40mm

Hisbalit Mosaico Series

COAST COLLECTION



BLUFF
40x40mm




CORAL
40x40mm




DUNE
40x40mm



FIN
40x40mm



SALT
40x40mm



SHELL
40x40mm

Hisbalit Mosaico Series

COAST COLLECTION (continued)



SIREN
40x40mm

CONCEPT & LUXE




BLACK PEARL
23x23mm



ECLIPSE
23x23mm

NIEBLA COLLECTION




101B
23x23mm



364A
23x23mm

Hisbalit Mosaico Series

NIEBLA COLLECTION (continued)



366A
23x23mm



ARAL
23x23mm



CARIBE
23x23mm



COVACHOS
23x23mm



ETNA
23x23mm



JONICO
23x23mm

Hisbalit Mosaico Series

NIEBLA COLLECTION (continued)



MAR
23x23mm



MARMARA
23x23mm



MOTA
40x40mm



RIS
23x23mm



ROTE
23x23mm



ROTE
40x40mm


Hisbalit Mosaico Series

NIEBLA COLLECTION (continued)




SAMOA
40x40mm

UNICOLOUR COLLECTION



101C
23x23mm



PAS
23x23mm

SOLSTICE COLLECTION



Alba
100x100mm



Axis
100x100mm

One Series

SOLSTICE COLLECTION (collection)



PELAGOS
100x100mm



VIRIDIAN
100x100mm

FROM THE EARTH




CORE
50x50mm



ECHO
25x25mm



ECHO
50x50mm



ERA
50x50mm

One Series

FROM THE EARTH (collection)



ETCH
25x25mm



ETCH
50x50mm



FORGE
50x50mm



FRAGMENT
50x50mm



MANTLE
50x50mm



ORIGIN
50x50mm

One Series

FROM THE EARTH (continued)



OSSIDO
50x50mm



TRACE
50x50mm

FROM THE SEA



BREEZE
25x25mm



DRIFT
25x25mm



FLINT
25x25mm



REED
25x25mm

One Series

FROM THE SEA (continued)



REED
50x50mm



REFLECTION
25x25mm



SHORE
25x25mm



SWELL
25x25mm



TIDE
25x25mm

Working with Glass Pool Tiles: Key Considerations

MINOR IMPERFECTIONS IN GLASS POOL TILES

Some glass pool tile ranges are ultra-thin (4 mm) and made from 100% recycled glass (Hisbalit), which means slight chips, surface irregularities, or minor misalignment of some pieces are expected on a sheet. These characteristics result from the delicate manufacturing process using 100% recycled glass, the flexible backing system, and the thin grout design that enhances the overall premium look of “more tile, less grout.” Any small imperfections naturally blend in once the tiles are installed and grouted. If a piece shows a noticeable flaw, installers are to simply remove and replace it during installation, ensuring that no visible difference remains in the finished surface.

Note: These variations in glass pool tiles are part of the sustainable nature of recycled glass.

Hisbalit Mosaico Series

* Please enquire with us to confirm stock availability.
Custom sizes are available by order. Weights are
indicative only and exclude packaging *

Australian Collection						
	Resistance					
Water Absorption	Deep Abrasion	Frost	Chemical	House Chemicals	Stain	Mohs Scale
ISO 10545-3:1997	ISO 10545-6:1998	ISO 10545-12:1997	ISO 10545-13:1998	ISO 10545-13:1998	ISO 10545-14:1998	UNE 101:1991

Devonport, Hayman, Lagoon, Lizard, Narooma,

<0.1%	215mm ³	Resistant	Resistant	Resistant	Class 5	5
-------	--------------------	-----------	-----------	-----------	---------	---

Whitehaven Sand

<0.1%	215mm ³	Resistant	Resistant	Resistant	Class 5	4
-------	--------------------	-----------	-----------	-----------	---------	---

Tile Format	Thickness	Sheet Size	Weight	Pack Volumes per crate	Joint Width	Size Tolerance	
						Dimension	Thickness

Devonport, Lizard, Orpheus, Whitehaven Sand

23x23mm	4mm	333x333mm	8kg/m ²	126m ²	2mm	+/- 0.2mm	+/- 0.2mm
40x40mm	4mm	318x318mm	8kg/m ²	110.88m ²	2mm	+/- 0.2mm	+/- 0.2mm

Hayman, Lagoon, Narooma,

23x23mm	4mm	333x333mm	8kg/m ²	126m ²	2mm	+/- 0.2mm	+/- 0.2mm
---------	-----	-----------	--------------------	-------------------	-----	-----------	-----------

Coast Collection						
	Resistance					
Water Absorption	Deep Abrasion	Frost	Chemical	House Chemicals	Stain	Mohs Scale
ISO 10545-3:1997	ISO 10545-6:1998	ISO 10545-12:1997	ISO 10545-13:1998	ISO 10545-13:1998	ISO 10545-14:1998	UNE 101:1991

Bluff, Coral, Dune, Fin, Salt, Shell, Siren

<0.1%	215mm ³	Resistant	Resistant	Resistant	Class 5	5
-------	--------------------	-----------	-----------	-----------	---------	---

Tile Format	Thickness	Sheet Size	Weight	Pack Volumes per crate	Joint Width	Size Tolerance	
						Dimension	Thickness

Bluff, Coral, Dune, Fin, Salt, Shell, Siren

40x40mm	4mm	318x318mm	8kg/m ²	110.88m ²	2mm	+/- 0.2mm	+/- 0.2mm
---------	-----	-----------	--------------------	----------------------	-----	-----------	-----------

Hisbalit Mosaico Series

* Please enquire with us to confirm stock availability.
Custom sizes are available by order. Weights are
indicative only and exclude packaging *

Concept & Luxe Collection						
	Resistance					
Water Absorption	Deep Abrasion	Frost	Chemical	House Chemicals	Stain	Mohs Scale
ISO 10545:3:1997	ISO 10545-6:1998	ISO 10545-12:1997	ISO 10545-13:1998	ISO 10545-13:1998	ISO 10545-14:1998	UNE 101:1991

Black Pearl, Eclipse

<0.1%	215mm^3	Resistant	Resistant	Resistant	Class 5	4	
Tile Format	Thickness	Sheet Size	Weight	Pack Volumes per crate	Joint Width	Size Tolerance	
						Dimension	Thickness

Black Pearl, Eclipse

23x23mm	4mm	333x333mm	8kg/m ²	126m ²	2mm	+/- 0.2mm	+/- 0.2mm
---------	-----	-----------	--------------------	-------------------	-----	-----------	-----------

Niebla Collection						
	Resistance					
Water Absorption	Deep Abrasion	Frost	Chemical	House Chemicals	Stain	Mohs Scale
ISO 10545:3:1997	ISO 10545-6:1998	ISO 10545-12:1997	ISO 10545-13:1998	ISO 10545-13:1998	ISO 10545-14:1998	UNE 101:1991

101B, 364A, 366A, Aral, Caribe, Covachos, Etna, Mar, Marmara, Mota, Ris, Rote, Samoa

<0.1%	215mm^3	Resistant	Resistant	Resistant	Class 5	5	
Tile Format	Thickness	Sheet Size	Weight	Pack Volumes per crate	Joint Width	Size Tolerance	
						Dimension	Thickness

101B, 364A, 366A, Aral, Caribe, Covachos, Etna, Jonico, Mar, Marmara, Ris

23x23mm	4mm	333x333mm	8kg/m ²	126m ²	2mm	+/- 0.2mm	+/- 0.2mm
---------	-----	-----------	--------------------	-------------------	-----	-----------	-----------

Mota, Samoa

40x40mm	4mm	318x318mm	8kg/m ²	110.88m ²	2mm	+/- 0.2mm	+/- 0.2mm
---------	-----	-----------	--------------------	----------------------	-----	-----------	-----------

Rote

23x23mm	4mm	333x333mm	8kg/m ²	126m ²	2mm	+/- 0.2mm	+/- 0.2mm
40x40mm	4mm	318x318mm	8kg/m ²	110.88m ²	2mm	+/- 0.2mm	+/- 0.2mm

Hisbalit Mosaico Series

* Please enquire with us to confirm stock availability.
Custom sizes are available by order. Weights are
indicative only and exclude packaging *

Unicolour Collection						
	Resistance					
Water Absorption	Deep Abrasion	Frost	Chemical	House Chemicals	Stain	Mohs Scale
ISO 10545-3:1997	ISO 10545-6:1998	ISO 10545-12:1997	ISO 10545-13:1998	ISO 10545-13:1998	ISO 10545-14:1998	UNE 101:1991

101C, PAS

<0.1%	215mm^3	Resistant	Resistant	Resistant	Class 5	4	
Tile Format	Thickness	Sheet Size	Weight	Pack Volumes per crate	Joint Width	Size Tolerance	
						Dimension	Thickness

101C, PAS

23x23mm	4mm	333x333mm	8kg/m ²	126m ²	2mm	+/- 0.2mm	+/- 0.2mm
---------	-----	-----------	--------------------	-------------------	-----	-----------	-----------

Solstice Collection						
	Resistance					
Water Absorption	Deep Abrasion	Frost	Chemical	House Chemicals	Stain	Mohs Scale
ISO 10545-3:1997	ISO 10545-6:1998	ISO 10545-12:1997	ISO 10545-13:1998	ISO 10545-13:1998	ISO 10545-14:1998	UNE 101:1991

Alba, Axis, Pelagos, Viridian

<0.5%	na	Resistant	Resistant	Resistant	Class 5	7	
Tile Format	Thickness	Sheet Size	Weight	Pack Volumes per crate	Joint Width	Size Tolerance	
						Dimension	Thickness

Alba, Axis, Pelagos, Viridian

100x100mm	8mm	308x308mm	21kg/m ²	59.94m ²	3mm	+/- 0.2mm	+/- 0.2mm
-----------	-----	-----------	---------------------	---------------------	-----	-----------	-----------

From the Earth						
	Resistance					
Water Absorption	Deep Abrasion	Frost	Chemical	House Chemicals	Stain	Mohs Scale
ISO 10545-3:1997	ISO 10545-6:1998	ISO 10545-12:1997	ISO 10545-13:1998	ISO 10545-13:1998	ISO 10545-14:1998	UNE 101:1991

Core, Echo, Era, Etch, Forge, Fragment, Mantle, Origin, Ossido, Trace

0%	na	Resistant	Resistant	Resistant	Class 5	5	
Tile Format	Thickness	Sheet Size	Weight	Pack Volumes per crate	Joint Width	Size Tolerance	
						Dimension	Thickness

Core, Era, Forge, Fragment, Mantle, Origin, Ossido, Trace

50x50mm	5.5mm	311x311mm	8kg/m ²	105.84m ²	3mm	+/- 0.5mm	+/- 0.2mm
---------	-------	-----------	--------------------	----------------------	-----	-----------	-----------

Echo, Etch

25x25mm	4.7mm	311x467mm	8kg/m ²	121.8m ²	2mm	+/- 0.5mm	+/- 0.2mm
50x50mm	5.5mm	311x311mm	8kg/m ²	105.84m ²	3mm	+/- 0.5mm	+/- 0.2mm

From the Sea						
	Resistance					
Water Absorption	Deep Abrasion	Frost	Chemical	House Chemicals	Stain	Mohs Scale
ISO 10545-3:1997	ISO 10545-6:1998	ISO 10545-12:1997	ISO 10545-13:1998	ISO 10545-13:1998	ISO 10545-14:1998	UNE 101:1991

Breeze, Drift, Flint, Reed, Reflection, Shore, Swell, Tide

0%	na	Resistant	Resistant	Resistant		Class 5		5
Tile Format	Thickness	Sheet Size	Weight	Pack Volumes per crate	Joint Width	Size Tolerance		
						Dimension	Thickness	

Breeze, Drift, Flint, Reflection, Shore, Swell, Tide

25x25mm	4.7mm	311x467mm	8kg/m ²	121.8m ²	2mm	+/- 0.2mm	+/- 0.2mm
---------	-------	-----------	--------------------	---------------------	-----	-----------	-----------

Reed

25x25mm	4.7mm	311x467mm	8kg/m ²	121.8m ²	2mm	+/- 0.2mm	+/- 0.2mm
50x50mm	5.5mm	311x311mm	8kg/m ²	105.84m ²	3mm	+/- 0.2mm	+/- 0.2mm



1300 301 898
artisanexterior.com.au