
# artisan Exterior



# STEPPING STONES

A great addition to any garden or outdoor area, stepping stones can go all the way from being formal to adding a relaxed organic feel.

If you are planting your garden in a particular manner or want to connect adjacent areas, stepping stones can be the perfect solution to guide the way you experience your outdoor areas

Stepping stones can also be used as a decorative feature or as a transition piece if the same material is utilised across the site in a paver or crazy paving format.

They also have a practical side as they allow for much better drainage than solid paths. Stepping stones can be laid in narrow or curved spaces, they're long-lasting and easy to maintain.

Married with pebbles, stepping stones create a classic combination that is wonderful to look at and easy to maintain. Grass or any type of green groundcover also work well to surround stepping stones and add an extra touch of greenery to your outdoors.


Our range of stepping stones includes organic options, perfect circles and traditional rectangular products.



ARGENTO
Rectangular Stepping



PREMIUM SILVER
TRAVERTINE
Rectangular Stepping



# **PRODUCT RANGE**

### **RECTANGULAR**



**ARGENTO**Stepping Stone



CARBON Stepping Stone



CARRICK Stepping Stone



**HIEKKA** Stepping Stone



**HIVEN** Stepping Stone



**KAHVI** Stepping Stone



MATALA Stepping Stone



PLATINA Stepping Stone



RAAKA Stepping Stone



**TEMPEST**Stepping Stone



VIRTAAVA Stepping Stone

# **ORGANIC & CIRCULAR**



**BLUESTONE** Organic Stepping Stone



CARBON Perfect Circle




CARRICK Perfect Circle



MATALA Perfect Circle

# SIZES & FORMATS

# **RECTANGULAR**




Rectangular Medium

Rectangular Large

# **ORGANIC & CIRCULAR**

Organic Medium



Perfect Circle Medium

Organic Large

Perfect Circle Large

# **TECH DETAILS**

### **RECTANGULAR STEPPING STONES**

### ARGENTO - Antique Finish [\*Sandblasted Finish, Sawn Edges]

Size mm	Weight UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size To	lerance Thickness
800x400x30mm	27kg each	34Pcs	P4	Tumbled	+/- 2mm	+/- 2mm
1210x400x30mm*	39kg each	25Pcs	P4	Sawn	+/- 2mm	+/- 2mm

#### **CARBON - Flamed Finish**

Size mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tol Dimension	lerance Thickness
800x400x30mm	28kg each	34Pcs	P5	Sawn	+/- 2mm	+/- 2mm
1210x400x30mm	42kg each	25Pcs	P5	Sawn	+/- 2mm	+/- 2mm

### **CARRICK - Flamed Finish**

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tol Dimension	l <b>erance</b> Thickness
800x400x30mm	28kg each	34Pcs	P5	Sawn	+/- 2mm	+/- 2mm
1210x400x30mm	42kg each	25Pcs	P5	Sawn	+/- 2mm	+/- 2mm

## **HIEKKA** - Sandblasted Finish

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size To	l <b>erance</b> Thickness
800x400x30mm	25kg each	33Pcs	P5	Sawn	+/- 2mm	+/- 2mm

# **HIVEN** - Antique Finish

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tol Dimension	l <b>erance</b> Thickness
800x400x30mm	25kg each	33Pcs	P4	Tumbled	+/- 2mm	+/- 2mm

<sup>\*</sup> Please enquire with us to confirm stock availability. Custom sizes are available by order. Weights are indicative only and exclude packaging \*



# **KAHVI** - Antique Finish

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size To	lerance Thickness
800x400x30mm	23kg each	33Pcs	P4	Tumbled	+/- 2mm	+/- 2mm
1210x400x30mm	38kg each	20Pcs	P4	Sawn	+/- 2mm	+/- 2mm

### **MATALA** - Sandblasted Finish

Size mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size To	lerance Thickness
800x400x30mm	25kg each	33Pcs	P4	Sawn	+/- 2mm	+/- 2mm
Step 1210x400x30mm	39kg each	20Pcs	P4	Sawn	+/- 2mm	+/- 2mm

# **PLATINA** - Antique Finish

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tol Dimension	<b>erance</b> Thickness
800x400x30mm	26kg each	33Pcs	P4	Tumbled	+/- 2mm	+/- 2mm

# RAAKA - Antique Finish

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tol Dimension	l <b>erance</b> Thickness
800x400x30mm	24kg each	30Pcs	P5	Antique	+/- 2mm	+/- 2mm

# **TEMPEST - Antique Finish**

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tol Dimension	lerance Thickness
800x400x30mm	27kg each	33Pcs	P5	Antique	+/- 2mm	+/- 2mm

# VALO - Tumbled [\*Honed Finish, Sawn Edges]

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size To Dimension	lerance Thickness
800x400x30mm	25kg each	31Pcs	P3	Tumbled	+/- 2mm	+/- 2mm
1210x400x30mm*	36kg each	31Pcs	P3	Sawn	+/- 2mm	+/- 2mm

<sup>\*</sup> Please enquire with us to confirm stock availability. Custom sizes are available by order. Weights are indicative only and exclude packaging \*



# VIRTAAVA - Honed + Waterjet Finish

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tol Dimension	lerance Thickness
800x400x30mm	27kg each	34Pcs	P5	Sawn	+/- 2mm	+/- 2mm
1210x400x30mm	39.4kg each	25Pcs	P5	Sawn	+/- 2mm	+/- 2mm

### **ORGANIC & CIRCULAR STEPPING STONES**

#### **BLUESTONE** - Sawn + Honed Finish

Size mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tol Dimension	<b>erance</b> Thickness
Organic Medium 600x600x30mm	32.4kg each	25Pcs	P3	Raw + Split	+/- 100mm	+/- 2mm
Organic Large 900x500x30mm	40.5kg each	25Pcs	P3	Raw + Split	+/- 100mm	+/- 2mm

#### **CARBON** - Flamed Finish

Size mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance Dimension Thickness	
Circular Ø 600mmx30mm	25kg each	40Pcs	P5	Sawn	+/- 2mm	+/- 2mm
Circular Ø 800mmx30mm	44kg each	25Pcs	P5	Sawn	+/- 2mm	+/- 2mm

### **CARRICK - Flamed Finish**

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance Dimension Thickness	
Circular Ø 600mmx30mm	25kg each	40Pcs	P5	Sawn	+/- 2mm	+/- 2mm
Circular Ø 800mmx30mm	44kg each	25Pcs	P5	Sawn	+/- 2mm	+/- 2mm

### **MATALA** - Sandblasted Finish

<b>Size</b> mm	<b>Weight</b> UOM	Pack Volumes per crate	Slip Rating	Edge Finish	Size Tolerance Dimension Thickness	
Circular Ø 600mmx30mm	25kg each	40Pcs	P4	Sawn	+/- 2mm	+/- 2mm
Circular Ø 800mmx30mm	44kg each	25Pcs	P4	Sawn	+/- 2mm	+/- 2mm

<sup>\*</sup> Please enquire with us to confirm stock availability. Custom sizes are available by order. Weights are indicative only and exclude packaging \*





1300 301 898 artisanexterior.com.au