



PROFESSIONAL LINE



Stain Removal

NO MAC GEL

Product for the removal of colored stains such as coffee, wine, tea, ink, algae, and mold from hard surfaces

NO MAC GEL is a water-based stain remover specific for the removal of colored stains from all hard surfaces.

The product is effective against the following staining agents:

- Coffee, wine, tea, soda, tomato sauce
- Marker pens and ink
- Mould, algae, and plants residues

Thanks to its gel formula **NO MAC GEL** can be easily used on vertical surfaces.

BENEFITS

- ✓ Water-based
- ✓ Great stain-extractive action
- ✓ Easy application
- ✓ Suitable for vertical application

USES

This product can be used both indoors and outdoors.
Suitable for use on Marble-cement agglomerate, Marble-resin agglomerate, Quartz-resin agglomerate, Slate, Sandstone, Basaltina - Lava stone, Molten basalt, Concrete Tiles, Concrete, Craquelé ceramics, Glazed ceramics, Clinker, Cotto, Granite, Polished porcelain tiles, Natural porcelain tiles, Textured porcelain tiles, Limestone, Marble, Exposed brick, Reconstituted stone (Eco stone), Porphyry, Quarzite, Terracotta, Travertine, Tuff.
Not suitable for carpet and fabric.

APPLICATION EQUIPMENT

Brush, Spatula, Direct application

APPLICATION STEPS

Surface preparation

- Make sure to thoroughly clean the surface removing all dirt and dust from the surface
- Do not apply **NO MAC GEL** on heated surfaces.
- High-absorbing surfaces must be wettened with water before applying the product.
- All surfaces close by that are not to be treated must be protected.

Application

Before applying the product is necessary to take a preliminary test on an unexposed area or unused piece of material to check the product's suitability.

- Never mix **NO MAC GEL** with other chemicals.
- The product is ready to use. Pour the product straight onto the surface being treated making sure to cover the stain completely. When used on particularly large surfaces, such as when removing mold and algae from floors, the product can be applied and worked with a mechanical polisher.
- Let the product act on the surface until the stain is gone. The time required will depend on the intensity of the stain, its depth, stubbornness, and the amount of time it has been there.



PROFESSIONAL LINE



APPLICATION STEPS

- Once the time has passed, proceed to remove the product and its residues. To remove **NO MAC GEL** use paper towels or cloths to soak up and remove residues until the surface is completely clean.
- residues until the surface is completely clean.
- Wipe the surface with a slightly damp cloth and wait for it to dry before assessing the stain removal results.
- In case of medium to large surfaces, remove all residues - wet or dry - with a broom or a wet vacuum, until all excesses have been eliminated. Wipe the surface with a slightly damp cloth and wait for it to dry before assessing the stain removal results.
- If the finished result is not satisfactory, repeat the application, or decide on the need to sand the surface beforehand. If the stain is mixed in origin, it may be a good idea also to use another type of stain remover.
- When treating particularly absorbent surfaces to prevent too much product from being absorbed by the material, wet the surface with a little water before applying **NO MAC GEL**.
- When working to remove more complex, deeper stains from natural stone, it may be necessary to pass over the surface with a mechanical polisher to increase the surface absorption and therefore, the penetration of the stain remover, for more effective results.
- For very deep stains, you may need to work with lower grain sizes. This preliminary operation will achieve a much deeper extraction in far less time.

Generally, the time required to extract the stain can be summed up as follows:

- Coffee stains, wine, tea, soda, tomato sauce: from 30 minutes to 2 hours.
- Stains from marker pens and ink: from 30 minutes to 3 hours
- Mould, algae, and plants and residues in general: from 15 minutes to 1 hour

Resume Surface Use

After rinsing the surface with water, wait for the floor to dry completely before opening to foot traffic.

INSTRUCTIONS AND GUIDELINES

- Do not apply the product on a dirty surface
- High-absorbing surfaces must be wetted before applying the product
- Never mix with other chemicals
- Do not apply the product on heated surfaces
- Surfaces near by not to be treated must be protected
- To achieve an even result we recommend applying the stain remover by treating areas that are larger than the single stained portions, such as a whole tile or room. This area can be decided according to the size and spread of the stain.
- When using on recently laid or grouted surfaces, wait for the grout to cure completely.
- While applying the product the surface must not be exposed to direct sunlight.
- Before applying the product is necessary to take a preliminary test in order to evaluate the product's suitability for use.

EQUIPMENT CLEANING

At the end of the application, the equipment used can be washed using water

MADE IN ITALY

100%

FABER CHIMICA SRL

60044 FABRIANO (AN) ITALY - VIA G. CERESANI 10 - LOC. CAMPO D'OLMO

PI-CF / VAT NUMBER 0100744021 - P: +39 0732 62 71 78

INFO@FABERSURFACECARE.COM - FABERSURFACECARE.COM



PROFESSIONAL LINE



PHYSICAL-TECHNICAL DATA

Formula	Gel
Color	Clear
Odor	Hypochlorite
pH	11,5 ± 0.5
Specific gravity a 20°C	1120 ± 10 g/l

STORAGE Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE 24 months in the original, sealed packaging, stored in a cool, dry place.

PACKAGING 500 ml bottles – 12 bottles per box
1 l bottles – 12 bottles per box

SAFETY When applying the product, always use suitable personal protective equipment and follow the product safety data sheet instructions with care.

Rev. 5.0 – 17/10/2022

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and/or modify the data and information contained in the datasheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case, you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability concerning the use of such data and suggestions.

MADE IN ITALY

100%